|   | Туре | L# | Hits | Search Text  | DBs   | Time Stamp       |
|---|------|----|------|--|---|------------------|
| 1 | BRS  | L1 | 137  | (logic same circuit) and colorimetric  | USPAT   | 2006/05/04 12:47 |
| 2 | BRS  | L2 | 48   | (logic same circuit same design\$3) and colorimetric                           | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:49 |
| 3 | BRS  | L3 | 13   | (logic same circuit same design\$3) and colorimetric and analog                | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:49 |
| 4 | BRS  | L4 | 0    | (logic same circuit same design\$3) and colorimetric and (analog adj computer) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:49 |
| 5 | BRS  | L5 | 92   | colorimetric and (analog adj computer)   | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:49 |
| 6 | BRS  | L6 | 3    | colorimetric and (analog adj computer) and<br>logic and circuit                | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 13:36 |

|    | Туре | L#  | Hits | Search Text  | DBs   | Time Stamp            |
|----|------|-----|------|--|---|-----------------------|
| 7  | BRS  | L7  | 16   | colorimetric and (analog adj computer) and<br>circuit\$3 | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:51      |
| 8  | BRS  | L8  | 2    | colorimetric and (logic adj design\$3)                   | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:52<br>· |
| 9  | BRS  | L9  | 166  | colorimetric and (logic adj circuit\$3)                  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:55      |
| 10 | BRS  | L10 | 0    | colorimetric and (logic adj circuit\$3 adj<br>design)    | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:56      |
| 11 | BRS  | L11 | 166  | colorimetric and (logic adj circuit\$3)                  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:56      |

|    | Туре | L#  | Hits | Search Text  | DBs   | Time Stamp       |
|----|------|-----|------|--|---|------------------|
| 12 | BRS  | L12 | 0    | colorimetric and (logic adj circuit\$3) and<br>("703"/\$.ccls.)              | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 12:57 |
| 13 | BRS  | L13 | 260  | (analog adj computer) and (logic adj circuit)                                | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 13:36 |
| 14 | BRS  | L14 | 41   | (analog adj computer) and (logic adj circuit)<br>and (circuit adj design\$2) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 13:37 |
| 15 | BRS  | L15 | 46   | (analog adj computer) and (processing adj<br>element)                        | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 13:38 |
| 16 | BRS  | L16 | 23   | (analog adj computer) and (processing adj<br>element) and logic and circuits | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 13:42 |

|    | Туре | L#  | Hits | Search Text  | DBs   | Time Stamp       |
|----|------|-----|------|--|---|------------------|
| 17 | BRS  | L17 | 18   | (analog adj computer) and (processing adj<br>element) and (logic same circuits)                            | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 13:42 |
| 18 | BRS  | L18 | 2    |  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 13:51 |
| 19 | BRS  | L19 | 1    | (analog adj computer) and (processing adj<br>element) and (logic adj design) and (increase<br>or decrease) | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 13:56 |
| 20 | BRS  | L20 | 2    | (analog adj computer) and (processing adj<br>element) and (logic adj design)                               | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 14:03 |
| 21 | BRS  | L21 | 795  | 703/1.ccls.  | US-<br>PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWEN<br>T;<br>IBM_TDB | 2006/05/04 14:03 |